

WWW.SHADEBLOCK.COM.AU









UV Block

With most colours well above the NSW Cancer
Council recommendation of UVR Block 94% (relates
to an SPF of 15) up to 98.7% which is Excellent.
SOLARBLOCK™ provides some of the best
protection of any shadecloth on the market.



Dimensional stability

SOLARBLOCK™ is a very dimensionally stable shadecloth with very similar biaxial strengths and extensions in both directions.



EXTRA info

WWW.SHADEBLOCK.COM.AU

SOLARBLOCK™ is imported from Alnet in South Africa who have been manufacturing for over 50 years. Product quality is assured with the factory operating under a rigid QA systems.



12 year warranty

SOLARBLOCK™ has a 12 year warranty against UV breakdown. Peace of mind for you and your clients.

Technical Specifications

Description Solarblock™ is an industry leading knitted HDPE shadecloth made to exacting quality standards by Alnet, a manufacturer with a proven 30 year track record in Australia. Purpose engineered with an unparalleled 12 year UV warranty. Solarblock™ is the right choice for all your light weight shade solutions where you need versatility with performance.

Application Shade sails, roll up and fixed awnings and umbrellas.

Weight 200gsm +/- 15

Width 300cm

Roll Length 50m

Construction Mono yarn and tape in HDPE with selvedge edges

UV Warranty 12 years

Burst Strength - AS2001.2.4 -1990 Mean 1410 kPA

Tear Resistance/wing rip – AS2001.1.2.10 - 1986 Warp 151N, Weft 195N

Tensile Strength – AS2001.1.2.3.1 - 2001 Warp 610N, Weft 1100N

Elongation at break - AS2001.1.2.3.1 - 2001 Warp 50%, Weft 41%

*Please note all results can vary +/- 5%.

Colour Range

Azure Blue

Dove Blue

Navy Blue



88.9

91.6

96.9

95.6

94.3

98.7

95

95.6

94.7

96.7

90.7

95.8

98.2

Fern Green 92.9
Burnt Orange 90.5
Kalahari Sands 87
Savannah Gold 95.5
Sonic Silver 91.1
Slate Grey 94.8
Night Sky 97.9

Product Performance and Suitability: All of the descriptive information and recommendations for use of this product shall only be used as a guide. Furnishing such information in no event constitutes a warranty of any kind. Buyers shall independently test and determine the suitability of the material for the purpose for which it is intended. No one is authorised to give any warranty, guarantee or make any representation in addition or contrary to the above.













Distributed by



Phone: 1300 854 811 Fax: 1300 658 889 Email: fabrics@hvg.net.au

Email: fabrics@hvg.net.au www.shadeblock.com.au





